

Safety data sheet

Page: 1/20

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pictor Active

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) H302 Harmful if swallowed.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Acute Tox. 4 (Inhalation - mist) H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated

exposure.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System, EU (GHS)

Pictogram:







Signal Word:

Warning

Hazard Statement:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H302 + H332 Harmful if swallowed or if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/gas/mist/vapours.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up. Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

Hazard determining component(s) for labelling: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate, 2-Methyl-2H-isothiazol-3-one

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

to Regulation (EC) No 1907/2006. Date / Revised: 19.03.2025

Version: 8.0 Previous version: 7.0

Date / Previous version: 26.08.2022 Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Regulatory relevant ingredients

exposure limit

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-

methoxy)carbamate

Content (W/W): 21.89 % Acute Tox. 3 (Inhalation - mist)

CAS Number: 175013-18-0 Acute Tox. 4 (oral) NDEX-Number: 613-272-00-6 Skin Irrit. 2

Repr. 2 (unborn child)

Substance with EU occupational STOT SE 3 (irr. to respiratory syst.)

STOT RE (Liver, Nasal cavity, Gastrointestinal

tract) 2

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100

H315, H331, H302, H335, H361d, H373, H400,

Acute toxicity estimate:

oral: 450 mg/kg Inhalation: 0.58 mg/l

boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Content (W/W): 13.13 % Aquatic Chronic 2

CAS Number: 188425-85-6 H411

Substance with EU occupational

exposure limit

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde,

sodium salts

Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 68425-94-5 Aquatic Chronic 3

H319, H412

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 102980-04-1 Aquatic Chronic 3 H319, H412

1,2-benzisothiazol-3(2H)-one

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0 Date / Previous version: 26.08.2022 Previous version: 7.0

Product: **Pictor Active**

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Content (W/W): < 0.01 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2634-33-5 Acute Tox. 4 (oral)

EC-Number: 220-120-9
REACH registration number: 01-

2120761540-60

INDEX-Number: 613-088-00-6

Eye Dam. 1 Skin Sens. 1A

Skin Irrit. 2

Aquatic Acute 1 Aquatic Chronic 1

M-factor acute: 1 M-factor chronic: 1

H318, H315, H330, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1A: >= 0.036 %

Acute toxicity estimate:

oral: 450 mg/kg Inhalation: 0.21 mg/l

2-methylisothiazol-3(2H)-one

Content (W/W): < 0.01 %

CAS Number: 2682-20-4 EC-Number: 220-239-6

REACH registration number: 01-

2120764690-50

INDEX-Number: 613-326-00-9

Acute Tox. 2 (Inhalation - dust)

Acute Tox. 3 (oral) Acute Tox. 3 (dermal)

Skin Corr. 1B

Eye Dam. 1

Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1

M-factor acute: 10 M-factor chronic: 1

H330, H317, H314, H301 + H311, H400, H410

EUH071

Specific concentration limit: Skin Sens. 1A: >= 0.0015 %

Propane-1,2-diol

Content (W/W): < 5 % CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 01-

2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

Date / Revised: 19.03.2025 Version: 8.0

Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

to Regulation (EC) No 1907/2006. Date / Revised: 19.03.2025

Version: 8.0 Previous version: 7.0

Date / Previous version: 26.08.2022 Product: **Pictor Active**

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below:0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

175013-18-0: pyraclostrobin (ISO)

TWA value 0.13 mg/m3 (BASF recomm. occupational exposure limit)

188425-85-6: 3-Pyridinecarboxamide, 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-

TWA value 0.248 mg/m3 (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Date / Revised: 19.03.2025 Version: 8.0

Date / Previous version: 26.08.2022 Previous version: 7.0

Product: **Pictor Active**

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid

Colour: off-white to beige

Odour: sweetish

Odour threshold:

Not determined since harmful by

inhalation.

Freezing point: approx. -3.2 °C boiling temperature: approx. 100 °C

Information applies to the solvent.

Flammability: not self-igniting

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point:

Non-flammable.

Auto-ignition temperature: > 651 °C

Thermal decomposition: 170 °C, 160 kJ/kg (DSC (OECD 113))

(onset temperature) Not a substance liable to self-decomposition

according to UN transport regulations, class 4.1.

pH value: approx. 6 - 8

(20 °C)

Viscosity, dynamic: approx. 107 mPa.s

(20 °C, 100 1/s)

Thixotropy: not thixotropic

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Vapour pressure: approx. 23.3 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.14 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

Evaporation rate:

not applicable

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 300 - < 2,000 mg/kg (OECD Guideline 423) LC50 rat (by inhalation): > 3.4 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg

<u>Irritation</u>

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant.

Serious eye damage/irritation

rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Methyl-2H-isothiazol-3-one

Experimental/calculated data:

Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Target organ: Respiratory system

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

.....

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0.033 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) 0.024 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 6.9 mg/l, Pseudokirchneriella subcapitata

EC10 (72 h) 0.73 mg/l, Pseudokirchneriella subcapitata

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Chronic toxicity to fish:

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Chronic toxicity to fish:

No observed effect concentration (97 d) 0.116 mg/l, Oncorhynchus mykiss

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.8 mg/l, Daphnia magna

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Bioaccumulation potential:

Bioconcentration factor(BCF): 379 - 507, Oncorhynchus mykiss (OECD Guideline 305) Accumulation in organisms is not to be expected.

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Bioaccumulation potential:

Bioconcentration factor(BCF): 57 - 70 (28 d), Oncorhynchus mykiss Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, BOSCALID)

Transport hazard class(es): 9, EHSM

to Regulation (EC) No 1907/2006.

Date / Revised: 19.03.2025 Version: 8.0 Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group:

Ш

Environmental hazards: yes

Marine pollutant: YES

Special precautions for

EmS: F-A; S-F

user:

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: ves

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: Pictor Active

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

Classification applies for standard conditions of temperature and pressure.

To avoid risks to man and the environment, comply with the instructions for use.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Date / Revised: 19.03.2025 Version: 8.0
Date / Previous version: 26.08.2022 Previous version: 7.0

Product: **Pictor Active**

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox.

Skin Irrit.

Skin Sens.

Skin sensitization

Repr.

Reproductive toxicity

STOT SE
Specific target organ toxicity — single exposure
STOT RE
Specific target organ toxicity — repeated exposure
Aquatic Acute
Hazardous to the aquatic environment - acute
Hazardous to the aquatic environment - chronic

Eye Dam./Irrit. Serious eye damage/eye irritation

Eye Dam. Serious eye damage Skin Corr. Skin corrosion H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H302 + H332 Harmful if swallowed or if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use. Toxic if inhaled.

H331 Toxic if inhaled. H302 Harmful if swallowed.

H373 May cause damage to organs (Liver, Nasal cavity, Gastrointestinal tract)

through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.
H301 + H311 Toxic if swallowed or in contact with skin.

EUH071 Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards.

Date / Revised: 19.03.2025 Version: 8.0

Product: Pictor Active

Date / Previous version: 26.08,2022

(ID no. 30652588/SDS_CPA_EU/EN)

Date of print 22.06.2025

Previous version: 7.0

IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.