

Safety data sheet

Page: 1/20

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Efilor®

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

to Regulation (EC) No 1907/2006.

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

According to BASF current knowledge and application of the criteria given in Annex I of Regulation (EC) No. 1272/2008, the following classification exceeding the classification given in Regulation (EC) No 1272/2008, Annex VI, Table 3.1 is required.

Skin Sens. 1

Repr. 2 (unborn child) Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:





Signal Word:

Warning

Hazard Statement:

H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H412 Harmful to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P261 Avoid breathing mist or vapour or spray.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

to Regulation (EC) No 1907/2006. Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P308 + P313 IF exposed or concerned: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):
P405 Store locked up.
Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

Hazard determining component(s) for labelling: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol, 2-methylisothiazol-3(2H)-one

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Regulatory relevant ingredients

boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

to Regulation (EC) No 1907/2006. Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

Content (W/W): 11.97 % Aquatic Chronic 2

CAS Number: 188425-85-6 H411

ylmethyl)cyclopentanol

Content (W/W): 5.4 % Acute Tox. 4 (oral)
CAS Number: 125116-23-6 Repr. 2 (unborn child)
INDEX-Number: 613-284-00-1 Aquatic Chronic 2

H302, H361d, H411

Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008Acute Tox. 4

(oral)

Repr. 2 (unborn child) Aquatic Acute 1 Aquatic Chronic 1

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.01 % Acute Tox. 4 (oral)
CAS Number: 2634-33-5 Skin Corr./Irrit. 2
EC-Number: 220-120-9 Eye Dam./Irrit. 1
REACH registration number: 012120761540-60 Acute Tox. 4 (oral)
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
Skin Sens. 1
Aquatic Acute 1

INDEX-Number: 613-088-00-6

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 1 H318, H315, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1: >= 0.05 %

2-methylisothiazol-3(2H)-one

to Regulation (EC) No 1907/2006.

Date / Revised: 10.08.2022 Version: 12.1 Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

Content (W/W): < 0.01 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2682-20-4 EC-Number: 220-239-6

REACH registration number: 01-

2120764690-50

INDEX-Number: 613-326-00-9

Acute Tox. 3 (oral) Acute Tox. 3 (dermal) Skin Corr./Irrit. 1B

Eye Dam./Irrit. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1

M-factor acute: 10 M-factor chronic: 1

H330, H317, H314, H301 + H311, H400, H410

EUH071

Specific concentration limit: Skin Sens. 1A: >= 0.0015 %

Propane-1,2-diol

Content (W/W): < 5 % CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 01-

2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

to Regulation (EC) No 1907/2006.

Version: 12.1 Previous version: 12.0

Date / Revised: 10.08.2022 Date previous version: 02.05.2022 Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, halogenated compounds, sulfur oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage temperature: 0 - 30 °C Storage duration: 36 Months

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

to Regulation (EC) No 1907/2006. Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022 Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

57-55-6: Propane-1,2-diol 125116-23-6: metconazole (ISO)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid Colour: off-white

Odour: faint odour, fruity

Odour threshold:

Not determined due to potential health hazard by inhalation.

Freezing point: approx. -4.3 °C (measured)
Boiling point: approx. 100 °C (ISO 2719)

(1,013 mbar)

Flammability: not applicable

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point: (Directive 92/69/EEC, A.9,

No flash point - Measurement made closed cup)

up to the boiling point.

Auto-ignition temperature: 427 °C (Directive 92/69/EEC, A.15)

Thermal decomposition: 165 °C, 100 kJ/kg (DSC (OECD 113))

290 °C, 230 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

pH value: approx. 4.5 - 6.5 (pH Meter)

(CIPAC standard water D, 1.0 %(m),

approx. 20 °C)

Viscosity, dynamic: approx. 53 mPa.s (OECD 114)

(20 °C, 100 1/s)

approx. 49 mPa.s (OECD 114)

(40 °C, 100 1/s)

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Vapour pressure: approx. 23.4 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.11 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

to Regulation (EC) No 1907/2006. Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022 Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

Oxidizing properties

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Other safety characteristics

Evaporation rate:

not applicable

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

LC50 rat (by inhalation): > 5.1 mg/l 4 h (OECD Guideline 403) No mortality was observed. An aerosol with respirable particles was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-methylisothiazol-3(2H)-one

Experimental/calculated data:

Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment of carcinogenicity:

In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

to Regulation (EC) No 1907/2006. Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022 Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-

1,2,4-triazol-1-ylmethyl)cyclopentanol Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022 Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 47.62 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 90.0 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) > 48.0 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC10 (72 h) 16.09 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Chronic toxicity to fish:

EC10 (95 d) 0.00398 mg/l, Oncorhynchus mykiss

No observed effect concentration (95 d) 0.00291 mg/l, Oncorhynchus mykiss (OECD Guideline 210)

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.16 mg/l, Daphnia magna (OECD Guideline 211)

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Bioaccumulation potential:

Bioconcentration factor(BCF): 57 - 70 (28 d), Oncorhynchus mykiss Does not accumulate in organisms.

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol Bioaccumulation potential:

Bioconcentration factor(BCF): 51 - 80, Lepomis macrochirus Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on:metconazole (ISO); (1RS, 5RS;1RS, 5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

to Regulation (EC) No 1907/2006. Date / Revised: 10.08.2022

Version: 12.1 Previous version: 12.0

Date previous version: 02.05.2022 Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METCONAZOLE, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

to Regulation (EC) No 1907/2006.

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METCONAZOLE, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METCONAZOLE, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METCONAZOLE, BOSCALID)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

EmS: F-A; S-F

Special precautions for

user:

Air transport

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METCONAZOLE, BOSCALID)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

to Regulation (EC) No 1907/2006.

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

To avoid risks to man and the environment, comply with the instructions for use.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Skin Sens. Skin sensitization
Repr. Reproductive toxicity

Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Aquatic Acute Hazardous to the aquatic environment - acute

H317 May cause an allergic skin reaction.
 H361d Suspected of damaging the unborn child.
 H412 Harmful to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H315 Causes skin irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Date / Revised: 10.08.2022 Version: 12.1
Date previous version: 02.05.2022 Previous version: 12.0

Date / First version: 20.02.2008

Product: Efilor®

(ID no. 30514873/SDS_CPA_EU/EN)

Date of print 12.03.2024

H301 + H311 Toxic if swallowed or in contact with skin

EUH071 Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail, TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.